

Type 244 Pneumatically Actuated Lug Butterfly Valve

PVC

Size [inch]	Fail Safe to Close (FC)		Fail Safe to Open (FO)	
	EPDM	FPM	EPDM	FPM
2	199 244 002	199 244 022	199 244 042	199 244 062
2 ½	199 244 003	199 244 023	199 244 043	199 244 063
3	199 244 004	199 244 024	199 244 044	199 244 064
4	199 244 005	199 244 025	199 244 045	199 244 065
5	199 244 006	199 244 026	199 244 046	199 244 066
6	199 244 007	199 244 027	199 244 047	199 244 067
8	199 244 008	199 244 028	199 244 048	199 244 068
10	199 244 009	199 244 029	199 244 049	199 244 069
12	199 244 010	199 244 030	199 244 050	199 244 070
Size [inch]	Double Acting (DA)			
	EPDM	FPM		
2	199 244 082	199 244 102		
2 ½	199 244 083	199 244 103		
3	199 244 084	199 244 104		
4	199 244 085	199 244 105		
5	199 244 086	199 244 106		
6	199 244 087	199 244 107		
8	199 244 088	199 244 108		
10	199 244 089	199 244 109		
12	199 244 090	199 244 110		



CPVC

Size [inch]	Fail Safe to Close (FC)		
	EPDM	FPM	PTFE/FPM
2	199 244 162	199 244 182	199 244 642
2 ½	199 244 163	199 244 183	199 244 643
3	199 244 164	199 244 184	199 244 644
4	199 244 165	199 244 185	199 244 645
5	199 244 166	199 244 186	199 244 646
6	199 244 167	199 244 187	199 244 647
8	199 244 168	199 244 188	199 244 648
10	199 244 169	199 244 189	199 244 649
12	199 244 170	199 244 190	199 244 650
Size [inch]	Fail Safe to Open (FO)		
	EPDM	FPM	PTFE/FPM
2	199 244 202	199 244 222	199 244 662
2 ½	199 244 203	199 244 223	199 244 663
3	199 244 204	199 244 224	199 244 664
4	199 244 205	199 244 225	199 244 665
5	199 244 206	199 244 226	199 244 666
6	199 244 207	199 244 227	199 244 667
8	199 244 208	199 244 228	199 244 668
10	199 244 209	199 244 229	199 244 669
12	199 244 210	199 244 230	199 244 670



Type 244 Pneumatically Actuated Lug Butterfly Valve

CPVC

Size [inch]	Double Acting (DA)		
	EPDM	FPM	PTFE/FPM
2	199 244 242	199 244 262	199 244 682
2 ½	199 244 243	199 244 263	199 244 683
3	199 244 244	199 244 264	199 244 684
4	199 244 245	199 244 265	199 244 685
5	199 244 246	199 244 266	199 244 686
6	199 244 247	199 244 267	199 244 687
8	199 244 248	199 244 268	199 244 688
10	199 244 249	199 244 269	199 244 689
12	199 244 250	199 244 270	199 244 690



PROGEF® Standard PP

Size [inch]	Fail Safe to Close (FC)		
	EPDM	FPM	PTFE/FPM
2	199 244 282	199 244 302	199 244 702
2 ½	199 244 283	199 244 303	199 244 703
3	199 244 284	199 244 304	199 244 704
4	199 244 285	199 244 305	199 244 705
5	199 244 286	199 244 306	199 244 706
6	199 244 287	199 244 307	199 244 707
8	199 244 288	199 244 308	199 244 708
10	199 244 289	199 244 309	199 244 709
12	199 244 290	199 244 310	199 244 710



Size [inch]	Fail Safe to Open (FO)		
	EPDM	FPM	PTFE/FPM
2	199 244 322	199 244 342	199 244 722
2 ½	199 244 323	199 244 343	199 244 723
3	199 244 324	199 244 344	199 244 724
4	199 244 325	199 244 345	199 244 725
5	199 244 326	199 244 346	199 244 726
6	199 244 327	199 244 347	199 244 727
8	199 244 328	199 244 348	199 244 728
10	199 244 329	199 244 349	199 244 729
12	199 244 330	199 244 350	199 244 730



Size [inch]	Double Acting (DA)		
	EPDM	FPM	PTFE/FPM
2	199 244 362	199 244 382	199 244 742
2 ½	199 244 363	199 244 383	199 244 743
3	199 244 364	199 244 384	199 244 744
4	199 244 365	199 244 385	199 244 745
5	199 244 366	199 244 386	199 244 746
6	199 244 367	199 244 387	199 244 747
8	199 244 368	199 244 388	199 244 748
10	199 244 369	199 244 389	199 244 749
12	199 244 370	199 244 390	199 244 750



Type 244 Pneumatically Actuated Lug Butterfly Valve

ABS

Size [inch]	Fail Safe to Close (FC)	EPDM Fail Safe to Open [FO]	Double Acting [DA]	
2	199 244 402	199 244 422	199 244 442	
2 ½	199 244 403	199 244 423	199 244 443	
3	199 244 404	199 244 424	199 244 444	
4	199 244 405	199 244 425	199 244 445	
5	199 244 406	199 244 426	199 244 446	
6	199 244 407	199 244 427	199 244 447	
8	199 244 408	199 244 428	199 244 448	



SYGEF® Standard PVDF

Size [inch]	Fail Safe to Close (FC)		Fail Safe to Open (FO)	
	FPM	PTFE/FPM	FPM	PTFE/FPM
2	199 244 462	199 244 522	199 244 482	199 244 542
2 ½	199 244 463	199 244 523	199 244 483	199 244 543
3	199 244 464	199 244 524	199 244 484	199 244 544
4	199 244 465	199 244 525	199 244 485	199 244 545
5	199 244 466	199 244 526	199 244 486	199 244 546
6	199 244 467	199 244 527	199 244 487	199 244 547
8	199 244 468	199 244 528	199 244 488	199 244 548
10	199 244 469	199 244 529	199 244 489	199 244 549
12	199 244 470	199 244 530	199 244 490	199 244 550
Size [inch]	Double Acting [DA]			
	FPM	PTFE/FPM		
2	199 244 502	199 244 562		
2 ½	199 244 503	199 244 563		
3	199 244 504	199 244 564		
4	199 244 505	199 244 565		
5	199 244 506	199 244 566		
6	199 244 507	199 244 567		
8	199 244 508	199 244 568		
10	199 244 509	199 244 569		
12	199 244 510	199 244 570		

